

SUPPLEMENTARY EU - TYPE EXAMINATION CERTIFICATE

Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

Supplementary EU - Type Examination Certificate Number: **Baseefa03ATEX0443X/2**

In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016.

Product: **VANE ACTUATOR AND SPRING RETURN UNIT**

Manufacturer: **KINETROL LIMITED**

Address: **Trading Estate, Farnham, Surrey, GU9 9NU**

This supplementary certificate extends EC – Type Examination Certificate No. Baseefa03ATEX0443X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

Item 9 of the original Certificate is replaced by "Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN ISO 80079-36:2016 EN ISO 80079-37:2016

except in respect of those requirements listed at item 18 of the Schedule."

The marking of the equipment has changed from the original Certificate and shall include the following:

Units fitted with standard seals/o-rings

II 1G Ex h IIC 90°C Ga
II 1D Ex h IIC T90°C Da
-40°C ≤ Ta ≤ 80°C

Units fitted with Viton seals/o-rings

II 1G Ex h IIC 110°C Ga
II 1D Ex h IIC T110°C Da
-20°C ≤ Ta ≤ 100°C

SGS Baseefa Customer Reference No. **0622**

Project File No. **19/0172**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail baseefa@sgs.com web site www.sgs.co.uk/sgsbaseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

R S Sinclair

R S SINCLAIR

TECHNICAL MANAGER

On behalf of SGS Baseefa Limited

13 Schedule

14 Certificate Number Baseefa03ATEX0443X/2

15 Description of the variation to the Product

Variation 2.1

To confirm that the equipment covered by this certificate has been reviewed against the requirements of EN ISO 80079-36:2016 and EN ISO 80079-37:2016 in respect to the differences of EN 13463-1:2009 and EN 13463-5: 2011. The equipment has been assessed and is in compliance with the requirements of the latest standards.

Variation 2.2

To limit the paint finishes applied to the Vane Actuator and Spring Return Unit casings to either Powder Epoxy Coated or PTFE Loaded Epoxy paints.

Variation 2.3

To change the lower ambient temperature range for Vane Actuator and Spring Return Units fitted with standard Nitrile/Silicon seals/o-rings from -20°C to -40°C.

16 Report Number

19(C)0172

17 Specific Conditions of Use

None additional to those listed previously

18 Essential Health and Safety Requirements

In addition to the Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

Clause	Subject
1.2.3	Enclosed structures to prevent leaks
1.4.1	External Effects
1.4.2	Aggressive Substances, etc

19 Drawings and Documents

Number	Issue	Date	Description
98-250	J	25.06.19	Kinetrol Actuators And Other Mechanical Ancillaries For Use In Category 1 Explosive Atmospheres
98-256	F	25.06.19	Kinetrol Spring Return Units For Use In Category 1 Explosive Atmospheres
99-033-4	J	12.06.19	ATEX Actuator Label Cat 1 Viton
99-033-5	K	12.06.19	ATEX Actuator Label Cat 1