



Modèle actionneur	0M0	014	014P	024	034	054	074	084	094	124	144	154	164	184	204	304
A (mm)	32.0	72.0	73.5	93.0	113.0	136.0	178.0	208.0	227.0	294.0	357.0	433.0	525.0	680.0	680.0	680.0
B (mm)	30.7	59.2	60.0	76.0	91.4	112.0	146.0	167.0	187.0	239.0	306.0	353.0	425.0	554.0	554.0	554.0
C (mm)	12.5	14.0	14.0	24.1	28.0	33.6	43.4	46.3	54.7	68.0	84.0	101.0	125.0	162.0	162.0	162.0
N (nombre)	4	4	4	4	4	6	4	4	4	4	4	4	4	4	8	8
T (ISO)	M3	M4	M4	M4	M5	M5	M8	M8	M10	M12	M16	M16	M24	M30	M30	M30
D (mm)	5.0	6.0	6.0	8.0	10.0	10.0	16.0	16.0	20.0	24.0	28.6	28.5	38.0	50.0	50.0	50.0
R (mm)				18.0	22.0		36.0	49.5	46.0	55.0	69.9	99.0	108.0	160.0	160.0	160.0
PCD (mm)	16.0	19.0	19.0	25.5	31.1	34.9	50.8	70.0	65.0	77.8	98.8	140.0	152.7	226.3	226.3	226.3
ØK (mm)		9.5	9.5	16.0	18.0	19.0	32.0	36.0	38.0	50.0	57.0	70.0	85.0	115.0	150.0	150.0
L (mm)		12.7	12.7	20.0	22.0	25.4	40.0	42.0	50.0	56.0	63.5	80.0	90.0	130.0	170.0	170.0

Modèle actionneur	0M0	014	014P	024	034	054	074	084	094	124	144	154	164	184	204	304
□ G1 (mm)		4.8	4.8	8.0	9.0	9.5	16.0	17.0	19.0	25.0	28.6	36.0	41.0	57.0	73.0	73.0
□ G2 (mm)		4.8	4.8	8.0	9.0	9.5	16.0	16.0	16.0	16.0	16.0	16.0	41.0	57.0	73.0	73.0
H (mm)	36.0	38.0	38.0	50.0	60.0	67.0	100	110.0	126.0	156.0	200.0	245.0	274.0	360.0	620.0	880.0
ØF (mm)					33.6	45.0	64.0		84.0	100.0	127.0	138.0	175.0	286.0	286.0	286.0
S1 (mm)	10.0	7.0	7.0	10.0	12.0	13.0	20.0	19.0	26.0	31.0	38.0	41.0	55.0	78.0	100.0	100.0
S2 (mm)	10.0	12.7	12.7	10.0	12.0	13.0	20.0	20.0	20.0	35.5	35.5	35.5	55.0	78.0	100.0	100.0
S3 (mm)	2.0	6.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	12.5	12.5	12.5	0.0	0.0	0.0	0.0
P (ISO)	M5	G1/8	G1/8	G1/8	G1/8	G1/8	G1/4	G1/4	G1/4	G3/8	G1/2	G1/2	G1/2	G1/2	G1	G1
Masse (kg)	0.12	0.28	0.35	0.44	0.70	1.24	3.13	2.54	3.86	6.90	13.40	21.00	37.40	71.40	195.60	273.00
ATEX		cat 1	cat 1	cat 1	cat 1	cat 1	cat 1	cat 1	cat 2	cat 2	cat 2	cat 2	cat 2	cat 2	cat 2	cat 2

Actionneur 103-100 : cf K115 (actionneurs ISO/DIN)